


**PROPOSED ELEVATIONS**

GARAGE FLOOR = 868.5  
 TOP OF BLOCK = 869.7  
 FIRST FLOOR = 871.4  
 LOWEST FLOOR = 860.0  
 PREVIOUS FF = 870.9



**GENERAL NOTES**

- TYPE C INLET PROTECTION INCLUDES:
  - BEAVER DAM - DANDY PRODUCTS - GROVE CITY, OH
  - TOP SLAB INLET PROTECTION - WIMCO, SHAKOPEE, MN
  - ROAD DRAIN CURB AND GUTTER - WIMCO - SHAKOPEE, MN
  - STRAW WATTLES
  - SILT SCREEN - ALPINE STORMWATER MGT. - GROVE CITY, OH
  - ROLL CURB / CURB BOX - LANGE INDUSTRIES - OSWEGO, FL
  - ESSE BROTHERS INLET BASKETS

**SEQUENCE OF CONSTRUCTION**

- INSTALL STABILIZED ROCK CONSTRUCTION ENTRANCE.
- CONSTRUCT SILT FENCES ON SITE.
- INSTALL STORM INLET PROTECTION.
- CLEAR AND GRUB THE SITE.
- BEGIN GRADING THE SITE.
- START CONSTRUCTION OF THE BUILDING PAD AND STRUCTURES.
- INSTALL UTILITIES, UNDERDRAINS, STORM SEWERS, CURBS AND GUTTERS.
- COMPLETE GRADING AND INSTALL PERMANENT SEEDING AND GRADING.
- REMOVE ALL TEMPORARY EROSION AND SEDIMENT CONTROL DEVICES (ONLY IF STABILIZED), IF REQUIRED BY CONTRACT.



**MAINTENANCE**

- ALL SILT FENCE MUST BE REPAIRED, REPLACED OR SUPPLEMENTED WHEN THEY BECOME NONFUNCTIONAL OR WHEN THE SEDIMENT REACHES 1/3 OF THE HEIGHT OF THE FENCE. THESE REPAIRS MUST BE MADE WITHIN 24 HOURS OF DISCOVERY, OR AS SOON AS FILED CONDITIONS ALLOW ACCESS.
- CONSTRUCTION SITE VEHICLE EXIT LOCATIONS MUST BE INSPECTED FOR EVIDENCE OF OFF-SITE SEDIMENT TRACKING ON TO PAVED SURFACES. TRACKED SEDIMENT MUST BE REMOVED FROM ALL OFF-SITE PAVED SURFACES, WITHIN 24 HOURS OF DISCOVERY, OR IF APPLICABLE, WITHIN A SHORTER TIME TO COMPLY WITH PART IV.C.6 OF THE GENERAL PERMIT.
- ALL STORM INLET PROTECTION MUST BE REPAIRED, REPLACED OR SUPPLEMENTED WHEN THEY BECOME NONFUNCTIONAL OR WHEN THEY BECOME 1/3 FULL. THESE REPAIRS MUST BE MADE WITHIN 24 HOURS OF DISCOVERY, OR AS SOON AS FIELD CONDITIONS ALLOW ACCESS.

**STORMWATER, SEDIMENT, AND EROSION CONTROL CONTACT**


CHARLES CUDD DENOVO  
 JOHN SONNEK  
 15050 23RD AVE N.  
 PLYMOUTH MN 55447  
 612-889-3530

**LEGEND**



- NOTES:**
- DIG A 6"x6" TRENCH ALONG THE INTENDED FENCE LINE.
  - DRIVE ALL POSTS INTO THE GROUND AT THE DOWNHILL SIDE OF THE TRENCH.
  - LAY OUT SILT FENCE ON THE UPHILL SIDE ALONG THE FENCE LINE, AND BACK FILL.
  - WOOD POSTS MAY BE SPACED UP TO 4 FEET APART IF WIRE MESH IS NOT USED TO SUPPORT THE FABRIC. IF WIRE MESH IS USED TO SUPPORT THE FABRIC STEEL POSTS MAY BE SPACED UP TO 8 FEET APART.
  - REMOVE SILT FENCE AFTER TURF IS ESTABLISHED.


**1 STANDARD SILT FENCE DETAIL**  
 NOT TO SCALE



**2 ROCK CONSTRUCTION ENTRANCE**  
 NOT TO SCALE



Know what's Below.  
 Call before you dig.



**ENGINEERING SURVEYING ENVIRONMENTAL PLANNING**

EVS, INC.  
 10250 Valley View Road, Suite 123  
 Eden Prairie, Minnesota 55344  
 Phone: 952-646-0236  
 Fax: 952-646-0290  
 www.evs-eng.com

**GRADING AND EROSION CONTROL PLAN**  
**OCTOBER 7, 2013**

**PROJECT**  
**6616 KENNY PLACE**

**LOCATION**  
**EDINA, MN**  
 SHEET

#	DATE	REVISION

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

DAVID NASH  
 DATE 10.07.2013  
 REGISTRATION NUMBER 21836

**DRAWN BY** KLB  
**CHECKED BY** DN  
**DATE** 10.07.2013  
**PROJECT #** 2013-069.1

**SHEET NUMBER** BUILDING DEPARTMENT

OCT 10 2013  
 CITY OF EDINA  
 6616 KENNY PL.  
 # 125679  
 04.116.21.32.0088